



J&R Acoustic Telephone Hood for Waterproof, Dustproof Phone Booth

Product Name	Acoustic Telephone Booth
Model No.	JR-PH-02
Materials	fiberglass reinforced polyester(GRP)
Size	700*450*650
Application	<ul style="list-style-type: none"> • Refineries • Aerospace • Nuclear facilities • Factories • Chemical plants • Bulk loading stations • Mines • Drilling rigs • Steel mills • Off shore platforms (AB-1000 only) • Any high noise industrial location and more .

Product Features

- P9042 - Acoustic insulation: Noise Attenuation up to 15 dB
- Polyethylene plastic construction
- Polyethylene material ANSI/UL94 flammability approved
- Durable, lightweight, chemical resistant body
- Excellent low temperatures impact properties
- High performance polyurethane acoustic insulation liner, resistant to mildew and rot.
- Fire retardant class "0" rating
- Completely maintenance free, UV and corrosion resistant, impervious to chemical attack
- Convenient writing shelf with drainage hubs to prevent water accumulation
- Can be used both indoors, outdoors and offshore
- Permanent black handset graphic molded into the booth surface
- Standard color - Yellow or customized
- Optional colors available upon request 1

Specifications:

- Dimensions - 700*450*650
- Weight - Approx 17Kg
- Stock Colour - Yellow , Others to order
- Outer Shell - General Purpose Resin continuous filament mat - Fire Resistance to BS476 Part 7 Class 1 Surface Spread of Flame
- Cold-rolled Stainless Steel Shelf, powder coated white
- Acoustic Insulation - 50mm Tissue faced non hygroscopic Rockwool (RW3) density 60kg/m3
- Insulation Liner - White Perforated Polypropylene 3mm thickness
- Apparatus plate - Cold-rolled Stainless Steel, 2mm thickness, powder coated white
- Mounting Brackets -Cold-rolled Stainless Steel, 6mm thickness

Accessories and Options:

Each Acoustic Booth can be fitted with a JR telephone suited for specific needs and requirements, and equipped with:

- LED Strobe Light
- Industrial speaker/ringer, speaker or ringer (up to 110 dB)